

[Text on drawings:]

ERSATZBLATT (REGEL 26) = REPLACEMENT SHEET (RULE 26)

[search report in English and in German]

# TRANSLATION ACES

29 Broadway ♦ Suite 2301

New York, NY 10006-3279

Tel. (212) 269-4660 ♦ Fax (212) 269-4662



## AFFIDAVIT OF ACCURACY

STATE OF NEW YORK     )  
  ) ss.:  
COUNTY OF NEW YORK )

I, the undersigned, being duly sworn, depose and state:

I am qualified to translate from the     German     language into the English language by virtue of being conversant with these languages and, furthermore, having translated professionally from     German     into English for more than 10 years;

I have carefully made the translation appearing on the attached and read it after it was completed; and said translation is an accurate, true and complete rendition into English from the original     German     -language text, and nothing has been added thereto or omitted therefrom, to the best of my knowledge and belief.

A handwritten signature in cursive script, appearing to read 'Helga Haneler', is written over a horizontal line.


TRANSLATION ACES, INC.

Subscribed and sworn to before me

this 26 day of January, 2007.

A handwritten signature in cursive script, appearing to read 'Karyn L. TSENS', is written over a horizontal line.

KARYN L. TSENS  
Notary Public, State of New York  
No. 31-4680695  
Qualified in New York County  
Commission Expires Oct. 31, 2010



[Translation from German]

Printed 28 Mar. 2006 CLMSPAMD PCT/EPO4/12779

Eisenführ, Speiser & Associates  
Hamburg, 23 March 2006

Our reference: SH 414-02WO FM/ath  
Direct dial: 040/309 744 34

Applicant/Owner: SOLUTIONS Branding & Design Companie GmbH & Co. KG  
Official serial No.: PCT/EP 2004/012779

**New Claim 1**

1. Instrument (20) for pulling ticks out of the skin of animals or humans, comprising:  
a longitudinal grip piece (21) for gripping the instrument (20) and  
an end piece (4), which is at least partially flattened, having, at least in part, a first slot  
(24) for gripping the tick, which end piece (4) terminates in an essentially fork-like shape having at  
least two prongs (6), between which a space (10) is formed for grasping a tick, characterized in  
that the grip piece (21) has a second slot (22) in order to permit the space (10) between the  
prongs (6) of the end piece (4) to be varied, where the slots (22, 24) are connected together by a  
film hinge, where by compression of the grip piece (21) the slot (22) and thus, via the film hinge  
(26), the slot (24) can also be compressed, hence the space (10) between the prongs narrowed  
and, lastly, the tick grasped in this way.

...ved at the EPO on Mar. 23, 2006 12:04:49.

AMENDED SHEET 23 Mar 2006